




OPTIC PARTNER

**ACCESSORIES  
EQUIPMENT  
TOOLS  
FURNITURE  
CONSUMABLES**

for opticians and ophthalmologists


[www.opticpartner.ro](http://www.opticpartner.ro)



HubSpot  
OPTIC  
PARTNER

**EQUIPMENT**

MADE FOR YOU





HubSpot  
**OPTIC  
PARTNER**



# OPTIC PARTNER

TOGETHER WE CAN!

Our experience has been formed since 2001, as a company that imports and distributes eyeglass frames, medical optics accessories and aerial ophthalmic lenses.

We have been on the optics and ophthalmology market in Romania for 20 years, and today, Optic Partner is among them leading suppliers of medical technology, optics and ophthalmology, covering a wide range of products for all market segments.

The prescription lens manufacturing line was inaugurated in 2017, as a result of collaboration with three giants of optical industry:

- SCHNEIDER / Germany - the undisputed world leader for the technology used in the production of medical Optics.
- TOKUYAMA / Japan - the world standard in coating.
- YOUNGER / USA - blank manufacturer no.1 in the world.



## About US

We founded Optic Partner out of a pure passion for people. Our goals, ambitions and inspirations have come together to form a truly amazing company that we are all proud to be a part of.



## Registered Brands

MEDIQ®  
OPTIC PARTNER®  
CALIBRA®  
KOTYS®  
ENZO®  
WAGNER®



## Sales & Intl. Distribution



+40-733 639 906



contact@opticpartner.ro



## Marketing



+40-771 522 370



marketing@opticpartner.ro

# TABLE OF CONTENTS



BIOMICROSCOPE	06 - 10
OPTOTYPE	11 - 12
TRIAL LENS KIT	13 - 16
TRIAL FRAME	17 - 19
PD METER	20
LENSMETER	22 - 23
OPHTHALMOSCOPE	23
OPHTHALMIC UNITS	24 - 27
ELECTRIC TABLES	27
METALIC FRAME EXPOZITOR	28 - 29
OPTICAL LABORATORY DEVICES	30 - 34
TOOLS - KITS	35 - 37
TOOLS - SCREWDRIVERS	38
TOOLS - PLIERS	38 - 43
TOOLS - TWEEZERS	44
CONSUMABLES - NOSE PADS	46 - 54
CONSUMABLES - TEMPLE/TIPS	55
CONSUMABLES - HINGES	56
CONSUMABLES - SCREWS	56 - 57
ACCESSORIES - DISPLAY CASES	58 - 59
ACCESSORIES - EYEGASSES CASES	60 - 61
ACCESSORIES - CHAINS	61 - 62
ACCESSORIES - SOLUTIONS & CLOTH	62 - 63
ACCESSORIES - MISCELLANEOUS	63 - 69
CUSTOMIZING GLASSES HOLDERS & CLOTHS	70

# BIOMICROSCOPE

S260

EQUIPMENT



Biomicroscope Galilean system  
5 steps of magnification  
Eyepiece magnification: 12.5X  
Magnification steps: 6X, 10X, 16X, 25X, 40X  
Pupillary adjustment: 52mm-78mm  
Diopter adjustment: +6D to -6D  
Slot width: 0~14mm (the slot becomes a circle at 14mm)  
Slot length: 1~14mm continuous  
Filters: heat absorption, redfree (green), cobalt blue  
Light source: 3V/3W LED

\*This biomicroscope is NOT provided with its own electrical table.

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# BIOMICROSCOPE S260S



EQUIPMENT

Biomicroscope Galilean system  
3 magnification levels  
Eyepiece magnification: 12.5X  
Magnification steps: 10X, 16X, 25X  
Pupillary adjustment: 52mm-78mm  
Diopter adjustment: +6D to -6D  
Slot width: 0~14mm (the slot becomes a circle at 14mm)  
Slot length: 1~14mm continuous  
Filters: heat absorption, redfree (green), cobalt blue  
Light source: 3V/3W LED

\*This biomicroscope is NOT provided with its own electric table.

# BIOMICROSCOPE

S280S

EQUIPMENT



Biomicroscope Galilean system  
3 magnification levels  
Eyepiece magnification: 12.5X  
Magnification steps: 10X, 16X, 25X  
Pupillary adjustment: 52mm-78mm  
Diopter adjustment: +6D to -6D  
Slot width: 0~14mm (the slot becomes a circle at 14mm)  
Slot length: 1~14mm continuous  
Filters: heat absorption, redfree (green), cobalt blue  
Light source: 6V/20W halogen bulb

\*This biomicroscope is NOT provided with its own electrical table.



+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# BIOMICROSCOPE S280C



EQUIPMENT

Converging binocular biomicroscope  
2 magnification levels  
Eyepiece magnification: 10X  
Magnification steps: 10X, 16X  
Pupillary adjustment: 52mm-78mm  
Diopter adjustment: +5D to -8D  
Slot width: 0~14mm (the slot becomes a circle at 14mm)  
Slot length: 1~14mm continuous  
Filters: heat absorption, redfree (green), cobalt blue  
Light source: 6V/20W halogen bulb

\*This biomicroscope is NOT provided with its own electric table.

# BIOMICROSCOPE

BL-2000

EQUIPMENT



Converging binocular biomicroscope  
2 magnification levels  
Eyepiece magnification: 10X  
Magnification steps: 10X, 16X  
Diopter adjustment: +5D to -5D  
Pupillary adjustment: 55mm-70mm  
Slot width: 0~10mm (the slot becomes a circle at 10mm)  
Slot length: 1~10mm continuously  
Filters: neutral, green, blue  
Light source: 6V/20W halogen bulb

\*This biomicroscope is NOT provided with its own electrical table.

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# OPTOTYP LCD CP27A




EQUIPMENT


Viewing distance: 1-5m/ 0.5m step  
Resolution: 1080P Full HD  
LCD screen: 22 inches (55.88 cm)  
Size: 470x370mm  
Screensaver with landscapes  
IR remote control  
mounting possibility: foot/wall support

# OPTOTYP CLASIC

EQUIPMENT



LED lighting



Neon lighting

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.medilens.ro

# TRIAL LENS SET PLASTIC FRAME



EQUIPMENT

- 266 elements
- Superior plastic lens frame
- Sphere - 40 concave and convex pairs
  - 0.25D - 6.00D in steps of 0.25
  - 6.50D - 10.00D in 0.50 steps
  - 11.00D - 15.00D in steps of 1.00
  - 16.00D - 20.00D in step of 2.00
- Cylinder - 20 concave and convex pairs
  - 0.25D - 4.00D in 0.25 steps
  - 4.50D - 6.00D in 0.50 steps
- Prisms - 12 pcs
  - 0.5 (2) 1.0 - 10.0 in steps of 1.0
- Accessories - 14 pcs
  - RF GF BL PL(2) MR(2) FL CL(2) PH(2) SS
  - PF Cross cylinder x0.25, x0.50
  - Metal carrying bag

# TRIAL LENS SET

## PLASTIC FRAME

EQUIPMENT



266 elements  
Plastic lens frame  
Sphere - 40 concave and convex pairs  
0.25D - 6.00D in steps of 0.25  
6.50D - 10.00D in 0.50 steps  
11.00D - 15.00D in steps of 1.00  
16.00D - 20.00D in steps of 2.00  
Cylinder - 20 concave and convex pairs  
0.25D - 4.00D in 0.25 steps  
4.50D - 6.00D in 0.50 steps  
Prisms - 12 pcs  
0.5 (2) 1.0 - 10.0 in steps of 1.0  
Accessories - 14 pcs  
RF GF BL PL(2) MR(2) FL CL(2) PH(2) SS  
PF Cross cylinder x0.25, x0.50  
Metal carrying bag

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# TRIAL LENS SET METAL FRAME




EQUIPMENT

266 elements  
Sphere - 40 concave and convex pairs  
0.25D - 6.00D in steps of 0.25  
6.50D - 10.00D in 0.50 steps  
11.00D - 15.00D in steps of 1.00  
16.00D - 20.00D in steps of 2.00  
Cylinder - 20 concave and convex pairs  
0.25D - 4.00D in 0.25 steps  
4.50D - 6.00D in 0.50 steps  
Prisms - 12 pcs  
0.5 (2) 1.0 - 10.0 in steps of 1.0  
Accessories - 14 pcs  
RF GF BL PL(2) MR(2) FL CL(2) PH(2) SS  
PF Cross cylinder x0.25, x0.50  
Metal lens frame  
Metal carrying bag / Interior color - red or gray

# TRIAL LENS SET

## METAL FRAME

EQUIPMENT



158 items  
Sphere - 25 concave and convex pairs  
0.25D - 4.00D in 0.25 steps  
4.50D  
5.00D - 12.00D in 1.00 steps  
16.00D - 20.00D in steps of 2.00  
Cylinder - 12 concave and convex pairs  
0.25D - 2.00D in 0.25 steps  
2.50D - 4.00D in 0.50 steps  
Prisms - 4 pcs  
0.5, 1.0, 2.0, 3.0  
Accessories - 6 pcs  
RF BL CL PH SS  
Cross cylinder  
Metal lens frame / Metal carrying bag



+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# TRIAL FRAME

## UTF-T4880



EQUIPMENT

Trial frame - TITAN  
Adjustable pupillary distance: binocular  
48-80mm (OD/OS distance 24-40mm)  
Adjustable arms: 0-30mm  
Adjustable nose support: 0-25mm, angle: 360°  
Adjustable pantoscopic angle  
Number of lenses that can be inserted: 5 (3 front and 2 rear)  
Weight: 53gr

# TRIAL FRAME

OF002

EQUIPMENT



Trial frame - TITAN

Adjustable pupillary distance: 54-70mm

Adjustable arms: 0-30mm

Adjustable pantoscopic angle

Number of lenses that can be inserted: 3 front

Weight: 50g

# TRIAL FRAME

## OF001



Trial frame  
Adjustable pupillary distance: 50-80mm  
Adjustable arms  
Adjustable pantoscopic angle  
Number of lenses that can be inserted: 3 front  
Weight: 80gr

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# TRIAL FRAME

## PD FIX (19)

Plastic sample frame  
Fixed pupillary distance: 56/60/62/64/66mm  
Fixed arms  
Fixed pantoscopic angle  
Weight: 40g



## PD METER CP 32-AT



Measured distance: 22.5 - 40mm  
Error margin: 0.5mm  
Subject distance: 30cm  
Power: 10W  
Size: 215x150x50mm  
Weight: 0.6kg  
Power supply: DC 4.5V, battery

## EQUIPMENT MADE FOR YOU

## PD METER CP-30

Measured distance: 22.5 - 40mm  
Error margin: 0.5mm  
Subject distance: 30cm  
Power: 10W  
Size: 215x150x50mm  
Weight: 0.6kg  
Power supply: DC 4.5V, battery





HubSpot  
OPTIC  
PARTNER

**EQUIPMENT**

MADE FOR YOU

# LENSMETER JD2600A



Measurement area  
Range: 0 ~ ±25D 0.01/0.12/0.25D steps  
Cylinder: 0 ~ ±9.99D 0.01/0.12/0.25D stepS  
Axis: 0 ~ 180° (1° steps)  
ADD: 0 ~ ±9.99D 0.01/0.12/0.25D steps  
Prism: 0 ~ 15Δ 0.01/0.12/0.25Δ steps  
Measurement mode  
Cylinder: +, +/-, -  
Prism: X-Y, P-B  
IOL: Soft/hard  
Measurements:  
Monofocal/progressive/automatic recognition  
Lens diameter: Φ 20~108mm  
PD: 40~90mm, step 0.5mm  
Measuring speed: 0.1s  
Screen: TFT LCD -7"

## EQUIPMENT MADE FOR YOU

# LENSMETER JD2600B

Measurement area  
Range: 0 ~ ±25D 0.01/0.12/0.25D steps  
Cylinder: 0 ~ ±9.99D 0.01/0.12/0.25D stepS  
Axis: 0 ~ 180° (1° steps)  
ADD: 0 ~ ±9.99D 0.01/0.12/0.25D steps  
Prism: 0 ~ 15Δ 0.01/0.12/0.25Δ steps  
Measurement mode  
Cylinder: +, +/-, -  
Prism: X-Y, P-B  
IOL: Soft/hard  
Measurements:  
Monofocal/progressive/automatic  
recognition  
Lens diameter: Φ 20~108mm  
PD: 40~90mm, step 0.5mm  
Measuring speed: 0.1s  
Screen: TFT LCD - 5.6"



# LENSMETER CP-1A



Measurement spectrum dioptries OD -  $\pm 15D$   
Lens diameter 20-80mm  
Prism 0-180°, step 5°  
Cylinder axis 0-180°, step 5°  
Power 3W  
Size 300x170x70mm  
Weight 1 kg  
Power supply DC 3V, 2x1.5V

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# OPHTHALMOSCOPE YZ11

Filter diameter: 0.2-0.4mm  
Brightness:  $>80I X$   
Diopter compensation: -35D~+20D  
Light source: 0.70W incandescent  
Power supply: DC 2x1.5V battery



# OPHTHALMIC UNIT S-900A



1200x1100x1900 mm  
Rotary table for 3 devices  
Table Size: 780x 420x 100mm  
Table elevation level: 90mm  
Arm elevation level: 280mm  
Electric chair elevation level: 170mm  
Seat rotation: 90°  
Rear seat folding: 180° adjustable  
Power: 110V/220(60/50Hz)  
Weight: 280Kg

## EQUIPMENT MADE FOR YOU

# OPHTHALMIC UNIT S-900B

1200x1100x1900 mm  
Rotary table for 1 device  
Table Size: 780x 420x 100mm  
Table elevation level: 90mm  
Arm elevation level: 280mm  
Electric chair elevation level:  
170mm  
Seat rotation: 90°  
Rear seat folding: 180° adjustable  
Power: 110V/220(60/50Hz)  
Weight: 280Kg





# OPHTHALMIC UNIT S-980B



1020x1230x1580 mm  
Sliding table for 1 device  
Table Size: 1000x480x120mm  
Table elevation level: 90mm  
Arm elevation level: 280mm  
Electric chair elevation level: 170mm  
Table rotation: 90° /  
Lens kit drawer: 540x380mm  
Power: 110V/220(60/50Hz)  
Weight: 200Kg  
Maximum weight: 70~150kg

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# OPHTHALMIC UNIT S-550B

1020x1230x1580 mm  
Sliding table for 1 device  
Table Size: 1000x480x120mm  
Table elevation level: 90mm  
Arm elevation level: 280mm  
Electric chair elevation level: 200mm  
Table rotation: 90°  
Power: 110V/220(60/50Hz)  
Weight: 200Kg  
Maximum weight: 200~250kg



# OPHTHALMIC UNIT C-200A



880x600x710 mm  
Sliding table for 1 device  
Countertop Size: 800x500mm  
Table elevation level: 90mm  
Arm elevation level: 170mm  
Electric chair elevation level: 170mm  
Table rotation: 90°  
Lens kit drawer: 540x380mm  
Power: 110V/220(60/50Hz)  
Weight: 72Kg  
Maximum weight: 200-250kg

## EQUIPMENT MADE FOR YOU

# OPHTHALMIC UNIT C180A

880x600x710 mm  
Sliding table for 1 device  
Top dimensions: 480x400 mm  
Elevation range: 630 - 820mm  
Table Size: 540x380mm  
Table elevation level: 90mm  
Arm elevation level: 170mm  
Electric chair elevation level: 170mm  
Table rotation: 90°  
Lens kit drawer: 540x380mm  
Power: 110V/220(60/50Hz)  
Weight: 60Kg  
Maximum weight: 200-250kg



# OPHTHALMIC UNIT C-280



1020x1230x1580 mm  
Table Size: 1220x690x870mm  
Table elevation level: 175mm  
Seat elevation level: 170mm  
Power: 110V/220(60/50Hz)  
Weight: 60Kg

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

## ELECTRIC TABLES 31-AD / 31-ADT

Top dimensions: 480x400 mm  
Elevation range: 630 - 820mm  
Maximum weight allowed: 50 - 75 kg  
Power supply: AC220V~50Hz  
Power: 120W  
Weight: 19 kg

Top dimensions: 680x430 mm  
Drawer dimensions: 540x340 mm  
Elevation range: 630 - 820mm  
Maximum weight allowed: 50 - 75 kg  
Power supply: AC220V~50Hz  
Power: 120W  
Weight: 21 kg



31-AD



31-ADT

## METAL FRAME EXPOSITOR

### 20R

Capacity: 20 slots  
Material: metal  
Height: 1.71m  
Closing system: yes  
Amortization at closing: yes

### 18R


Capacity: 18 slots  
Material: metal  
Height: 1.56m  
Closing system: yes  
Amortization at closing: yes

### 16R

Capacity: 16 slots  
Material: metal  
Height: 1.41m  
Closing system: yes  
Amortization on closing: yes

### 14R

Capacity: 14 slots  
Material: metal  
Height: 1.26m  
Closing system: yes  
Amortization on closing: yes



# EQUIPMENT

## MADE FOR YOU

## PVC FRAME EXPOSITOR

### SINGLE SUPPORT

Capacity: 1 slot  
Material: plastic



# DISPLAY SUPPORT CTHT 1407



1Capacity: 18 slots  
Material: plastic  
Size: 189x29x20cm  
Closing system: yes  
Amortization on closing: no

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# DISPLAY SUPPORT PLASTIC 65

Capacity: 16 slots  
Material: plastic  
Height: 1.50m  
Closing system: no  
Amortization on closing: no



# PHANTOM

## Digital Visible Transmission Meter Spectrum 700 UV

Lens type: plastic or glass

Housing: aluminum

UV sensor: silicon diode

UV spectrum: 320-400nm

Visible spectrum: 400-700nm

Size: 170x175x184mm

Weight: 2.7kg

Power supply: 220V, 50Hz

Power consumption: 13W

Device used to measure the percentage transmission of blue and UV radiation through optical lenses. Its measurement capacity for the UV spectrum is from 320-400nm and for the visible spectrum, from 400-700nm.

The degree of transmission can be measured without removing the lenses from the frame/glasses. This apparatus can be used to demonstrate the capability of a photochromic lens.



# OPTICAL LABORATORY DEVICES

MADE FOR YOU

## LENS GROOVER

Device for executing the edge of the lenses

Lens type: plastic or glass

Edge depth: 0-0.7mm

Edge width: 0.6mm

Minimum lens thickness: 1.5mm

Maximum lens thickness: 11mm

Minimum lens diameter: 28mm

Maximum lens diameter: 70mm

Size: 170x210x150mm

Weight: 2.7kg

Power supply: 220V, 50Hz



# POLISHER CP-8



Full automatic  
Lens type: plastic or glass  
Size: 302X228X270mm  
Weight: 6.7kg  
Power supply: 220V, 50Hz

Automatic polishing machine, which has a good residual dust collection capacity and a fine processing of the residual dust, in conditions of minimal noise pollution.

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# POLISHER MANUAL

Manual lens polishing machine.



# LENS DRILLING MACHINE

CP-2B



Lens type: plastic  
Size: 260x220x350mm  
Weight: 3kg  
Power supply: 220V, 50Hz

Drill used for making holes in lenses for mounting them in rimless frames (staples or screws).

It requires good experience on the part of the fitter, as the possibility of guidance for the precise positioning of the holes is limited.

## OPTICAL LABORATORY DEVICES

MADE FOR YOU

### DEMOLENS DRILL

CP-10B

Lens type: demolens  
Size: 220x150x360mm  
Weight: 3kg  
Power supply: 220V, 50Hz

Drill used for making holes in demolens lenses.





## STRESS GAUGE CP-12



Lens type: plastic  
Size: 11.5x11.5x5cm  
Weight: 850g  
Power supply: 220V, 50Hz

The device shows the points where the lens - when it is cut too large - is excessively pressed into the frame (strained).

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

## FRAME HEATER CP-19 A

Maximum temperature: 110°C  
Power: 600W  
Air flow: 4m/s  
Sound pollution: 50dB  
Weight: 1kg  
Power supply: 220V, 50Hz



# LENS EDGER



4 types of abrasive wheels  
Aluminum casing  
Lens type: plastic and glass  
Power: 100W  
Size: 302x228x270mm  
Weight: 2 Kg  
Power supply: 220V, 50Hz

## OPTICAL LABORATORY DEVICES

MADE FOR YOU

### ULTRASONIC CLEANER

CD-7820(B)

Ultrasonic frequency: 42,000Hz  
Tank material: stainless steel  
Tank capacity: 750ml  
Timer: 3 min.  
Power: 50W  
Size: 140x125x200mm  
Power supply: 220V, 50Hz.



+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# TOOLS KITS



## RB-017B

Tool stand  
8 pliers  
6 screwdrivers

- 
- ⊕ 1.5 1.8
  - ⊖ 1.6 1.8
  - ⊛ M2.57 M2.82

## R-B012

Tool Kit  
7 pliers  
6 screwdrivers

- 
- ⊛ ⊕
  - hook ⊖



## R-B01A

Tool Kit for frames with staples  
3 pliers

# TOOLS

## KITS



### SS007

Frame kit with staples  
3 pliers  
8 screwdrivers

- 
- ⊕ 1.6 2.0
  - ⊖ 1.4 1.8
  - ⊕ M2.0 M2.3 M2.5
  - ⊕ 2.56

### SL007

Screwdriver kit  
Metal handle with rotating end  
10 interchangeable tips

- 
- ⊕ 1.5 1.7 2.0
  - ⊖ 1.5 1.7 2.0
  - ⊕ M2.0 M2.3 M2.5
  - ⊕ M2.5



### SL005

Screwdriver kit  
Metal handle with rotating end  
12 interchangeable tips  
Synthetic leather cover

- 
- ⊕
  - ⊖
  - ⊕
  - ⊖
  - ⊕
  - ⊖

+40-21 320 5555  
 contact@opticpartner.ro  
 www.opticpartner.ro  
 www.mediqlens.ro

# TOOLS KITS



## SLO02


Screwdriver kit  
 2 metallic handles  
 10 interchangeable tips

- 
- ⓘ 1.5 2.0
  - ⊕ 1.5 1.7 2.0 2.5
  - ⦿ 2.0 2.3 2.5
  - ⦿ 2.02

## SLO01

Screwdriver kit  
 for nose pads  
 10 interchangeable tips

- 
- ⊕ 1.0 1.2 1.5 1.7 2.0
  - ⦿ 2.6 2.5 2.3 2.0



## SS002

Screwdriver kit  
 9 pcs + support

- 
- ⓘ 1.6 1.8
  - ⊕ 1.5 1.8
  - ⦿ 2.02 2.32
  - ⦿ 2.52 2.57 2.82

# TOOLS

## SCREWDRIVERS



QS021

Screwdriver  1.8

QS006

Screwdriver - hook tip

QS006

Screwdriver  1.8

## PLIERS

PT 008 (SF1006)

Pliers for modeling arms



PT 019

Pliers for cutting screws

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# TOOLS

## PLIERS




R-AB47  
Cutting pliers

---

R-AB29  
Pliers for modeling frames

---



R-AB924  
Staple remover (horizontal plugs)

---

# TOOLS

## PLIERS



R-AB926

Staple remover (vertical plugs)

---

PT 005 (SF1008)

Straightening pliers  
glasses arms

---



PT 016 (SF1007)

Angled pliers, for straightening delicate  
arms, with a straight thin nylon jaw and a  
conical jaw  
ø 6:1.5mm

---





+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# TOOLS PLIERS



PT 020

Special pliers for cutting staples plastic plugs on frames. The narrow shape of the jaws and the edge of filigree cut reduces the risk of scratching of the lens. They are not for metal!

---

PT 015 (SF1005)

Angled pliers, for straightening delicate frames, with a thin straight nylon jaw and a conical jaw  $\varnothing$  6:1.5mm

---



PT 013 (SF1007)

Beaked pliers for shaping frames

---

HubSpot  
OPTIC  
PARTNER

**EQUIPMENT**  
MADE FOR YOU



+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# TOOLS PLIERS



PT 006 (SF1003)

Pliers with plastic jaws  
for modeling frames  
24mm

---

PT 009 (SF1013)

Pliers for removing screws  
and straightened the hinges


---



PT 004 (SF1009)

Pliers with plastic jaws  
for modeling the nasal saddle

---



# TOOLS

## TWEEZERS



PD

Tweezers with classic tip and grooves on both sides, for holding head screws and other small objects

---

PC

Curved Tweezers

---



TF 022

Tweezers with a straight tip and special grooves for holding head screws

---






HubSpot  
OPTIC  
PARTNER

**EQUIPMENT**

MADE FOR YOU

# CONSUMABLES

## PVC NOSE PADS SCREW-IN



CY120


PVC nose pads screw-in with metal insert  
Size: 12x6  
Set of 20 pcs.

---

CY116

PVC nose pads screw-in with metal insert  
Size: 12x6  
Set of 20 pcs.

---



CY079


PVC nose pads screw-in  
Size: 13x7.5  
Set of 20 pcs.

---

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# CONSUMABLES

## PVC NOSE PADS PUSH-IN



CY052  
(Porsche Design)

PVC nose pads, push-in  
Set of 20 pcs.

---

CY078

PVC nose pads, push-in  
Set of 20 pcs


---



CY079

PVC nose pads, push-in  
Size: 13x7.5  
Set of 20 pcs.

---



# CONSUMABLES

PVC NOSE PADS

PUSH-IN

CY106

PVC nose pads, push-in  
Set of 20 pcs.

---



CY128 (RayBan)

PVC nose pads, push-in  
Set of 20 pcs.

---




+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# CONSUMABLES

## SILICONE NOSE PADS


### SCREW-IN



CY033

Silicone nose pads  
14.5x8mm  
Set of 20 pcs


---



CY034

Silicone nose pads  
15x8.3mm  
Set of 20 pcs


---



CY035

Silicone nose pads  
16x10mm  
Set of 20 pcs

---



CY036


Silicone nose pads  
17x9mm  
Set of 20 pcs

---

CY040

Silicone air nose pads  
12x7mm  
Set of 20 pcs

---



# CONSUMABLES

## SILICONE NOSE PAD SCREW-IN

CY009

Silicone nose pads  
12x7  
Set of 20 pcs.

---




## ACETATE NOSE PAD SCREW-IN



CY233

Acetate nose pads  
17x6.5  
Set of 2 pcs.

---



CY233-1

Acetate nose pads  
17x6.5  
Set of 2 pcs.

---



CY233-2

Acetate nose pads  
17x6.5  
Set of 2 pcs.

---

+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# CONSUMABLES

## SILICONE NOSE PADS PUSH-IN



CY010

Silicone nose pads  
13.8x7  
Set of 20 pcs

---

TR

Silicone nose pads  
for TR frames  
Set of 20 pcs

---



# CONSUMABLES

## TITANIUM NOSE PADS

### SCREW-IN



CY405

Titanium nose pads  
ELONGATED  
12.2x6.5mm  
Set of 2 pcs.

---

CY405

Titanium nose pads  
SQUARE  
12.2x6.5mm  
Set of 2 pcs.

---



+40-21 320 5555

contact@opticpartner.ro

www.opticpartner.ro

www.mediqlens.ro

# CONSUMABLES

## NOSE PAD SETS



### SB005

PVC nose padd set

Item Name	Model	Size	Quantity
screw-in pvc nose pad	CY079	L:13mm	20 pairs
screw-in pvc nose pad	CY080	L:15mm	20 pairs
push-in pvc nose pad	CY101	L:15mm	20 pairs
screw-in pvc nose pad	CY081	L:13mm	20 pairs
push-in pvc nose pad	CY084	L:13mm	20 pairs
screw-in pvc nose pad	CY087	L:12mm	20 pairs
screw-in pvc nose pad	CY088	L:11mm	20 pairs
push-in pvc nose pad	CY091	L: 9mm	20 pairs
push-in pvc nose pad	CY093	L: 8mm	20 pairs
screw-in pvc nose pad	CY083	L:14mm	20 pairs
screw-in pvc nose pad	CY078	L:10mm	20 pairs
screw-in pvc nose pad	CY106	L:11mm	20 pairs
screw-in aluminum core pvc nose pad-Golden	CY116	L:14mm	20 pairs
screw-in aluminum core pvc nose pad-Silver	CY120	L:11mm	20 pairs
screw-in pvc bridge nose pad for child	CY126	30*20mm	10 pairs

### SB005A

Silicone nose pads set

Item Name	Model	Size	Quantity
screw-in silicon nose pad (left)	CY001	L:13mm	10 pairs
screw-in silicon nose pad (right)	CY001	L:13mm	10 pairs
screw-in silicon nose pad	CY006	L:13mm	10 pairs
push-in silicon nose pad	CY006	L:13mm	10 pairs
screw-in silicon nose pad	CY010	L:13mm	10 pairs
push-in silicon nose pad	CY010	L:13mm	10 pairs
screw-in silicon nose pad	CY012	L:15mm	10 pairs
screw-in round silicon nose pad	CY014	L: 9mm	10 pairs
screw-in oval silicon nose pad	CY024	L:13mm	10 pairs
push-in round silicon nose pad	CY027	L: 9mm	10 pairs
screw-in silicon nose pad (left)	CY003	L:15mm	10 pairs
screw-in silicon nose pad (right)	CY003	L:15mm	10 pairs
screw-in silicon nose pad	CY017	L:13mm	10 pairs
screw-in silicon bridge nose pad	CY067	35*15mm	5 pairs
screw-in silicon nose pad	CY033	L:14mm	10 pairs



### SB002

Silicone nose pad set

Item Name	Model	Size	Quantity
screw-in silicon nose pad	CY001	L:13mm	10 pairs
screw-in silicon nose pad	CY001	L:13mm	10 pairs
screw-in silicon nose pad	CY006	L:13mm	10 pairs
screw-in silicon nose pad	CY010	L:13mm	10 pairs
screw-in silicon nose pad	CY012	L:15mm	10 pairs
round silicon nose pad	CY014	L:9mm	10 pairs
oval silicon nose pad	CY024	L:13mm	10 pairs
round silicon nose pad	CY027	L:9mm	10 pairs




# CONSUMABLES

## SILHOUETTE PLUGS NOSE PADS

### S111

Silhouette plugs  
Size  
1.4 x 0.8 x 7.0mm  
1.5 x 0.8 x 7.0mm  
1.6 x 0.8 x 7.0mm  
1.7 x 0.8 x 7.0mm



### CYLT-1

Silicone nose pads  
with metal insert  
Size  
11 x 13.5 x 30 x 24.5mm



### CY234

Silicone nose pads  
Size  
27 x 14mm



### CY070

- by pressing

Silicone nose pads  
with press fit  
Size  
45x15  
Pack of 10 pcs



### CY070

- by screw

Silicone nose pads  
with screw fastening  
Size  
45x15  
Pack of 10 pcs



+40-21 320 5555

contact@opticpartner.ro

www.opticpartner.ro

www.mediqlens.ro

# CONSUMABLES

## TEMPLE / TIP

### Temple with internal flex 1A

type Mien

CODE

B1A - gold

B11A - gray

Pack of 20 pcs.



### Temple with external flex

CODE

B12A - silver

B13A - gold

B14A - black

B11A - gray

Pack of 20 pcs.



### Temple without flex

CODE

B21A - gold

Pack of 20 pcs.



### PVC Temples

CODE

with 1 ear

B15A - black

B16A - brown

B17A - gray

with 2 ears

B19A - brown

B20A - black



### Long tips

Material - PVC

Size - 120mm

CODE

TN - black

TG - gray

TA - silver

TM - brown



### Short tips

Material - PVC

Size - 70 mm

CODE

TSN - black

TSB - navy blue

TSA - silver

TSM - brown



# CONSUMABLES

## HOLDER HINGE SPRING


### Metal hinges

Metal hinges  
Size  
7mm  
Pack of 20 pcs.



### TA023

Metal hinges  
Pack of 20 pcs.



## SCREWS

### S018

Round tip  
size  
1.6 x 1.0 x 3.6  
Pack of 20 pcs.

### S023

Round tip  
size  
1.8 x 1.2 x 3.6  
Pack of 20 pcs.



### S034

Pointed tip  
size  
1.8 x 1.0 x 5.8  
Pack of 20 pcs.

### S039

Pointed tip  
size  
2.0 x 1.4 x 7.0  
Pack of 20 pcs.

### S040

Pointed tip  
size  
2.0 x 1.4 x 7.5  
Pack of 20 pcs.





+40-21 320 5555

contact@opticpartner.ro

www.opticpartner.ro

www.mediqlens.ro

# CONSUMABLES

## SCREWS SET

### SB001

Screw box  
Material - metal



Item Name	Model	Size	Quantity
"+" screw	S016	1.6*1.0*3.6	100 pcs
"-" screw	S003	2.0*1.4*2.4	100 pcs
"-" screw	S006	2.0*1.4*3.0	100 pcs
"-" screw	S011	2.0*1.4*4.0	100 pcs
nut	S096	2.5*1.4*1.2	100 pcs
round head screw	S025	2.5*1.4*3.0	100 pcs
round head screw	S028	2.5*1.4*4.0	100 pcs
"-" round head screw	S029	2.5*1.4*6.0	100 pcs

### SB003

Screw box  
Material - metal

Item Name	Model	Size	Quantity
"+" screw	S016	1.6*1.0*3.6	100 pcs
"-" screw	S003	2.0*1.4*2.4	100 pcs
"-" screw	S006	2.0*1.4*3.0	100 pcs
"-" screw	S011	2.0*1.4*4.0	100 pcs
nut	S096	2.5*1.4*1.2	100 pcs
round head screw	S025	2.5*1.4*3.0	100 pcs
round head screw	S028	2.5*1.4*4.0	100 pcs
"-" round head screw	S029	2.5*1.4*6.0	100 pcs
stainless steel tab washer	S109	3.0*1.4*0.3	100 pcs
"-" screw	S032	2.5*1.6*4.0	100 pcs



# ACCESSORIES

## EYEWARE DISPLAY CASES



CTS-2019

(BAG-2019)

Fan type bag  
Capacity - 80 frames  
Size  
49 x 23.5 x 40cm

---

TS 2030

Frames display case  
Capacity - 15x12 frames  
Size  
60 x 30 x 58cm

---



TS 7502

Eyewear display case  
Capacity - 12x9 frames  
Size  
60 x 30 x 58cm

---



+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

## ACCESSORIES

### EYEWARE DISPLAY CASES

#### TS 7508

Eyewear display case  
Capacity - 16x9 frames  
Size  
60 x 24 x 60cm



#### TS 3004G

Eyewear display tray  
Capacity - 2x8 frames  
Size 51x34x5 cm



#### STS 2030

Sunglasses display case  
Capacity - 9X12 frames  
Size  
47 x 30 x 58cm



#### TS-3029

Display for eyeglasses cases  
Capacity - 2x16 cases  
Size  
51x68x5 cm



# ACCESSORIES

## EYEGASSES CASES

### TMMB

Big Case  
Material - metal



### TMMS

Medium Case  
Material - metal



### TPPB

Big Case  
Material - PVC



### TPPM

Medium Case  
Material - PVC



### TPPS

Small Case  
Material - PVC



### TSS

Glasses bag  
Textile



+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# ACCESSORIES

## EYEWARE CASES / CHAINS

### TSM

Glasses bag  
Material - microfiber



### PVC CLIP CLAP

CLIP CLAP  
Material - eco leather



### S30

Glasses chain  
Material - PVC



### SPORT

Glasses chain  
Material - textile



### SPORT S

Glasses chain  
Material - textile



### S baby

Glasses chain  
Material - elastic



# ACCESSORIES

## GLASSES CHAINS / OTHERS

### ARC - spring

Glasses chain  
Material - silicone  
Set 20 pcs.



### BBC

Glasses chain  
Textile  
Colors - black, brown, blue, multicolored  
Set 20 pcs.



### S SILICONE

Glasses cord  
Material - silicone  
Colors - black, transparent  
Set 20 pcs.



### MEDIQ LENS CLEANER

Solution for  
cleaning glasses  
lenses  
60ml



### MEDIQ ANTI-FOG PREMIUM

Anti-fog solution  
for wiping  
eyeglass lenses  
60 ml



### OPTICIAN CLOTH

Material - textile (microfiber)  
Size: large - 13cm; small - 10cm



### MEDIQ CLOTH

Material - textile (microfiber)  
Size - 15 x 17cm  
Set 100pc



+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# ACCESSORIES OTHERS

## L2 CLOTH

Textile  
Size - 13 x 18cm



## MEDIQ ANTI-FOG CLOTH

Material - textile  
zip-lock aluminium pack  
Size: 15 x 18cm



## CT 8403

Baton for the CR-39 lenses



## OA 007

Sadler - Adhere interliner to eyewire for easier lens insertion  
Size - 1.5mm



## STICKER MEDIQ

Double adhesive sticker  
Size: 18mm; 21mm; 24mm



## CLIPS AUTO CA

Material - PVC



# ACCESSORIES

## OTHERS


### CONTACT LENS BOX

Material - PVC



### LABELS

Price label  
Set 100pc




### PERMANENTO

Double-adhesive sticker  
Ø18mm - round  
Ø24mm - round  
Ø24mm - rectangular  
Set 1000pc.



### PD-RI

Graded ruler for ophthalmological use  
Flexible



### JAW PAPER

Chin protection paper  
for chin support  
Set 100 pcs



### OA 002

Anti-slip rubber for glasses arms  
Colors - black, brown, transparent





+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# ACCESSORIES

## OTHERS


### SB

Plastic patterns



### LF-8203

Suction cups for the grinder




### BG

Tiles stick  
for the grinder




### LF-8201

Suction cups for the grinder



### LF-8209

Suction cups for the grinder




# ACCESSORIES

## OTHERS


LF-8212

Suction cups for the grinder



LF-8204

Suction cups for the grinder



LF-8268

Suction cups for the grinder




LF-8268-1

Suction cups for the grinder




LF-8264-1

Suction cups for the grinder



LF-8225

Suction cups for the grinder




# ACCESSORIES

## OTHERS


### LF-8226

Suction cups for the grinder




### LF-8228

Suction cups for the grinder




### LF-8229

Suction cups for the grinder




### LF-8230

Suction cups for the grinder




### LF-8231

Suction cups for the grinder



### LF-8260

Suction cups for the grinder



# ACCESSORIES

## OTHERS

RGW-1

Grinding stone



BELT

Belt for electric table



CT 8508

Belt for grinder  
Size - 120mm



CT 8507

Grinding belt for edging machine  
Size - 120mm



CT 8506

Silicone sander belt  
Size - 120mm



CT-8503

Polishing machine felt



+40-21 320 5555  
contact@opticpartner.ro  
www.opticpartner.ro  
www.mediqlens.ro

# ACCESSORIES

## OTHERS

### Protective frame

Protective eyewear  
White color



### OA039-BIG

Adult occluder  
Textile; Set of 6 pcs.



### OA039-SMALL

Children's occluder  
Textile ; Set of 6 pcs






# CUSTOM EYEGLASS CASE & CLOTH

for details, please contact the sales department





HubSpot  
OPTIC  
PARTNER



**OPTIC**  
PARTNER

*Together We Can!*

OPTIC PARTNER  
108 Vatra Luminoasa St., Sector 2, Bucharest  
ROMANIA  
contact@opticpartner.ro  
<http://www.opticpartner.ro/>